

Contents

Introduction	1
Feedstuff/Diet Evaluation	
Nutrient regulation of endocrine function in fish	
D.S. MacKenzie, C.M. VanPutte and K.A. Leiner (College Station, TX, USA)	3
The effects of purified alcohol extracts from soy products on feed intake and growth of chinook salmon (<i>Oncorhynchus tshawytscha</i>) and rainbow trout (<i>Oncorhynchus mykiss</i>)	
D.P. Bureau, A.M. Harris and C. Young Cho (Guelph, Ont., Canada)	27
Content of digestible energy in fish feed ingredients determined by the ingredient-substitution method	
A. Aksnes and J. Opstvedt (Bergen, Norway)	45
Performance, nutrient retention efficiency, total ammonia and reactive phosphorus excretion of growing European sea-bass (<i>Dicentrarchus labrax</i> , L.) as affected by diet processing and feeding level	
R. Ballestrazzi, D. Lanari and E. D'Agaro (Pagnacco, Italy)	55
Replacement of fish meal with various types of soybean products in diets for the Asian seabass, <i>Lates calcarifer</i>	
M. Boonyaratpalin, P. Suraneiranat (Bangkok, Thailand) and T. Tunpibal (Amphur Sikao, Thailand)	67
Development of a static-water ecoassay with microcosm tanks for postlarval <i>Penaeus vannamei</i>	
M. Velasco, A.L. Lawrence (Port Aransas, TX, USA) and W.H. Neill (College Station, TX, USA)	79
Abstracts	89
Proteins and Amino Acids	
Cost of growth in larval and juvenile African catfish (<i>Clarias gariepinus</i>) in relation to growth rate, food intake and oxygen consumption	
L.E.C. Conceição, Y. Dersjant-Li and J.A.J. Verreth (Wageningen, Netherlands)	95
Correlates of growth in farmed juvenile southern bluefin tuna <i>Thunnus maccoyii</i> (Castelnau)	
C.G. Carter, G.S. Seeto (Launceston, Tas., Australia), A. Smart (Port Lincoln, SA, Australia), S. Clarke (Henley Beach, SA, Australia) and R.J. Van Barneveld (Roseworthy, SA, Australia)	107
Studies on the methionine requirement of carp (<i>Cyprinus carpio</i> L.)	
F.J. Schwarz, M. Kirchgessner and U. Deuringer (Freising-Weihenstephan, Germany)	121
Lysine requirement of juvenile Japanese flounder <i>Paralichthys olivaceus</i> and juvenile red sea bream <i>Pagrus major</i>	
I. Forster (West Vancouver, B.C., Canada) and H.Y. Ogata (Mie, Japan)	131
Abstracts	143

Contents

Introduction	1
Feedstuff/Diet Evaluation	
Nutrient regulation of endocrine function in fish	
D.S. MacKenzie, C.M. VanPutte and K.A. Leiner (College Station, TX, USA)	3
The effects of purified alcohol extracts from soy products on feed intake and growth of chinook salmon (<i>Oncorhynchus tshawytscha</i>) and rainbow trout (<i>Oncorhynchus mykiss</i>)	
D.P. Bureau, A.M. Harris and C. Young Cho (Guelph, Ont., Canada)	27
Content of digestible energy in fish feed ingredients determined by the ingredient-substitution method	
A. Aksnes and J. Opstvedt (Bergen, Norway)	45
Performance, nutrient retention efficiency, total ammonia and reactive phosphorus excretion of growing European sea-bass (<i>Dicentrarchus labrax</i> , L.) as affected by diet processing and feeding level	
R. Ballestrazzi, D. Lanari and E. D'Agaro (Pagnacco, Italy)	55
Replacement of fish meal with various types of soybean products in diets for the Asian seabass, <i>Lates calcarifer</i>	
M. Boonyaratpalin, P. Suraneiranat (Bangkok, Thailand) and T. Tunpibal (Amphur Sikao, Thailand)	67
Development of a static-water ecoassay with microcosm tanks for postlarval <i>Penaeus vannamei</i>	
M. Velasco, A.L. Lawrence (Port Aransas, TX, USA) and W.H. Neill (College Station, TX, USA)	79
Abstracts	89
Proteins and Amino Acids	
Cost of growth in larval and juvenile African catfish (<i>Clarias gariepinus</i>) in relation to growth rate, food intake and oxygen consumption	
L.E.C. Conceição, Y. Dersjant-Li and J.A.J. Verreth (Wageningen, Netherlands)	95
Correlates of growth in farmed juvenile southern bluefin tuna <i>Thunnus maccoyii</i> (Castelnau)	
C.G. Carter, G.S. Seeto (Launceston, Tas., Australia), A. Smart (Port Lincoln, SA, Australia), S. Clarke (Henley Beach, SA, Australia) and R.J. Van Barneveld (Roseworthy, SA, Australia)	107
Studies on the methionine requirement of carp (<i>Cyprinus carpio</i> L.)	
F.J. Schwarz, M. Kirchgessner and U. Deuringer (Freising-Weihenstephan, Germany)	121
Lysine requirement of juvenile Japanese flounder <i>Paralichthys olivaceus</i> and juvenile red sea bream <i>Pagrus major</i>	
I. Forster (West Vancouver, B.C., Canada) and H.Y. Ogata (Mie, Japan)	131
Abstracts	143

Carbohydrates

Utilisation of different dietary starch sources and tolerance to glucose loading in Atlantic salmon (<i>Salmo salar</i>), during parr-smolt transformation G.-I. Hemre (Bergen, Norway) and T. Hansen (Matredal, Norway)	145
Effect of dietary carbohydrate-to-lipid ratio on growth and body composition of walking catfish (<i>Clarias batrachus</i>) Ertanullah and A.K. Jatri (Aligarh, India)	159
Regulation of hepatic lipogenesis by dietary protein/energy in juvenile European seabass (<i>Dicentrarchus labrax</i>) J. Dias (Saint Pée-sur-Nivelle, France), M.J. Alvarez, A. Diez (Madrid, Spain), J. Arzel (Plouzané, France), G. Corraze (Saint Pée-sur-Nivelle, France), J.M. Bautista (Madrid, Spain) and S.J. Kaushik (Saint Pée-sur-Nivelle, France)	169
Effects of dietary carbohydrate kind and level on growth, body composition and glycemic response of juvenile sunshine bass (<i>Morone chrysops</i> ♀ × <i>M. saxatilis</i> ♂) C.G. Hutchins, S.D. Rawles and D.M. Gatlin III (College Station, TX, USA)	187
Carbohydrate utilization in striped bass (<i>Morone saxatilis</i>) and sunshine bass (<i>M. chrysops</i> ♀ × <i>M. saxatilis</i> ♂) S.D. Rawles and D.M. Gatlin III (College Station, TX, USA)	201

Lipids and Fatty Acids

Histological changes induced by dietary phospholipids in intestine and liver of common carp (<i>Cyprinus carpio</i> L.) larvae S. Fontagné (Saint-Pée-sur-Nivelle, France), I. Geurden (Ghent, Belgium), A.-M. Escaffre and P. Bergot (Saint-Pée-sur-Nivelle, France)	213
Comparison of different soybean phospholipidic fractions as dietary supplements for common carp, <i>Cyprinus carpio</i> , larvae I. Geurden (Gent, Belgium), D. Marion (Nantes, France), N. Charlon (Saint-Pée-sur-Nivelle, France), P. Coutteau (Gent, Belgium) and P. Bergot (Saint-Pée-sur-Nivelle, France)	225
The effect of dietary lipid level on variation of flesh pigmentation in rainbow trout (<i>Oncorhynchus mykiss</i>) D.C. Nickell and N.R. Bromage (Stirling, UK)	237
Highly unsaturated fatty acids in diets for red drum (<i>Sciaenops ocellatus</i>) larvae R.L. Brinkmeyer and G.J. Holt (Port Aransas, TX, USA)	253
Effects of eicosapentaenoic and docosahexaenoic acids on growth, survival and brain development of larval Japanese flounder (<i>Paralichthys olivaceus</i>) H. Furuita (Mie, Japan), T. Takeuchi (Tokyo, Japan) and K. Uematsu (Higashi-Hiroshima, Japan)	269
Increase of the dietary $n-3/n-6$ fatty acid ratio and addition of phosphorus improves liver histological alterations induced by feeding diets containing soybean meal to gilthead seabream, <i>Sparus aurata</i> L. Robaina, M.S. Izquierdo (Las Palmas de Gran Canaria, Spain), F.J. Moyano (Almería, Spain), J. Socorro, J.M. Vergara and D. Montero (Las Palmas de Gran Canaria, Spain)	281
Body composition and sensory assessment of three weight groups of Atlantic halibut (<i>Hippoglossus hippoglossus</i>) fed three pellet sizes and three dietary fat levels R. Nortvedt (Bergen, Norway) and S. Tuene (Storebø, Norway)	295
Cholesterol and lecithin requirement of juvenile banana shrimp, <i>Penaeus merguensis</i> S. Thongrod and M. Boonyaratpalin (Bangkok, Thailand)	315
Use of borage oil in rotifer production and <i>Artemia</i> enrichment: effect on growth and survival of turbot (<i>Scophthalmus maximus</i>) larvae J.H. Robin (Plouzané, France)	323

Abstracts	333
----------------------------	-----

Minerals

- Optimum level of dietary monocalcium phosphate based on growth and phosphorus excretion of mirror carp, *Cyprinus carpio*
J.D. Kim, K.S. Kim, J.S. Song (Chuncheon, South Korea), J.Y. Lee (Pusan, South Korea) and K.S. Jeong (Yosu, South Korea) 337
- Use of nonlinear regression to evaluate the effects of phytase enzyme treatment of plant protein diets for rainbow trout (*Oncorhynchus mykiss*)
D. Lanari, E. D'Agaro and C. Turri (Udine, Italy) 345
- Dietary chromic oxide inclusion level required to maximize glucose utilization in hybrid tilapia, *Oreochromis niloticus* × *O. aureus*
S.-Y. Shiau and S.-M. Shy (Keelung, Taiwan) 357
- Availability of protein, phosphorus and other elements in fish meal, soy-protein concentrate and phytase-treated soy-protein-concentrate-based diets to Atlantic salmon, *Salmo salar*
T. Storebakken (Sunndalsøra, Norway), K.D. Shearer (Seattle, WA, USA) and A.J. Roem (Forus, Norway) 365

Abstract 381**Vitamins**

- Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. VII. Effects of dietary vitamin C on survival, growth and tissue concentration of ascorbic acid
K. Mai (Qingdao, China) 383
- Bioavailability of niacin from feed ingredients commonly used in feeds for channel catfish, *Ictalurus punctatus*
W.-K. Ng, C.N. Keembiyehetty and R.P. Wilson (Mississippi State, MS, USA) 393
- Different levels of dietary DL- α -tocopheryl acetate affect the vitamin E status of juvenile Korean rockfish, *Sebastes schlegelii*
S.C. Bai and K.-J. Lee (Pusan, South Korea) 405
- Influence of supplementation of practical diets with vitamin C on growth and response to hypoxic stress of seabream, *Sparus aurata*
M.M.F. Henrique, E.F. Gomes (Porto, Portugal), M.F. Gouillou-Coustans (Plouzané, France), A. Oliva-Teles (Porto, Portugal) and S.J. Davies (Plymouth, UK) 415
- Dietary vitamin C improves the quality of yellowtail (*Seriola quinqueradiata*) seedlings
Y. Sakakura (Tokyo, Japan), S. Koshio (Kagoshima, Japan), Y. Iida (Hiroshima, Japan), K. Tsukamoto (Tokyo, Japan), T. Kida (Osaka, Japan) and J.H. Blom (Kagoshima, Japan) . . . 427
- Interaction between two dietary levels of iron and two forms of ascorbic acid and the effect on growth, antioxidant status and some non-specific immune parameters in Atlantic salmon (*Salmo salar*) smolts
F. Andersen, B. Lygren, A. Maage and R. Waagbø (Bergen, Norway) 437
- Dietary ascorbic acid needs of common carp (*Cyprinus carpio*) larvae
M.-F. Gouillou-Coustans (Plouzané, France), P. Bergot and S.J. Kaushik (St. Pée-sur-Nivelle, France) 453
- Application of the recommendations on vitamin requirements of finfish by NRC (1993) to salmonids and sea bass using practical and purified diets
S.J. Kaushik (St Pée-sur-Nivelle, France), M.F. Gouillou-Coustans (Plouzané, France) and C.Y. Cho (Guelph, Ont., Canada) 463

Abstracts 475**Digestive Enzymes**

- Algal addition in sea bass (*Dicentrarchus labrax*) larvae rearing: effect on digestive enzymes
C.L. Cahu, J.L. Zambonino Infante, A. Péres, P. Quazuguel and M.M. Le Gall (Plouzané, France) 479

Quantification of exogenous protease derived from zooplankton in the intestine of Japanese sardine (<i>Sardinops melanotictus</i>) larvae T. Kurokawa, M. Shiraishi and T. Suzuki (Mie, Japan)	491
Biochemical and enzymatic characterization of decapsulated cysts and nauplii of the brine shrimp <i>Artemia</i> at different developmental stages A. García-Ortega, J.A.J. Verreth (Wageningen, Netherlands), P. Coutteau (Ghent, Belgium), H. Segner (Leipzig, Germany), E.A. Huisman (Wageningen, Netherlands) and P. Sorgeloos (Ghent, Belgium)	501
Abstract	515